

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**



AASU



THE BRITISH LIBRARY  
SCIENTIFIC REFERENCE AND INFORMATION SERVICE

(12) UK Patent (19) GB (11) 2 287 856 (13) B

(54) Title of invention

Apparatus and method for relaying calling  
information to a remote receiver

(51) INT CL: H04M 1/65 1/67

(21) Application No  
8505688.7

(22) Date of filing  
21.03.1986

(30) Priority Data

(31) 88277488

(32) 24.03.1984

(33) US

(43) Application published  
27.03.1986

(45) Patent published  
28.07.1988

(72) Inventor(s)  
Michael G Duncan  
Frederic P Seeger  
Gordon D Ford

(73) Proprietor(s)  
Siemens Aktiengesellschaft  
Communications Division

Incorporated in USA -  
Delaware

4300 Old Ironside Drive  
Santa Clara  
California  
United States of America

(74) Agent and/or  
Address for Service  
Hasseltine Lake & Co  
Imperial House  
75-79 Kingsway  
London  
WC2B 6UD  
United Kingdom

(52) Domestic classification  
(Edition P)  
H04M 1/67

(58) Documents cited  
GB2278283 A  
GB2178078 A  
EP0330884 A2  
JP00818462 A  
US4561216 A  
US4672834 A  
Patent Abstracts of  
Japan, Vol 15 No. 438  
E-1138, 8 Nov. 1991,  
page 158

(continued on next page)

GB 2 287 856 8 - continuation

(56) Field of search

As for published application  
2287856 A viz:  
UK CLIEdition N) HMK K742  
XPS&A K760X K753  
INT CL: H0408 1/57 1/58 2/58  
Online: WPI  
updated as appropriate